

## Index

- Abu-Mostafa, Y., 148  
 actuarial science, 1  
 Actuary Department, U.K., 26  
 adjacency matrix, 59, 193, 249  
 age profiles, 1, 191–92; baseline and, 177;  
   centered, 33, 101–2; covariate choice and,  
   108–12; deterministic forecasting and,  
   139–41; discretizing and, 85–86;  
   jaggedness and, 88, 178; leading causes of  
   death by, 6–7; Lebesgue measure and,  
   131; Lee-Carter approach and, 34–42;  
   linear trends and, 178–82; mortality  
   patterns and, 22–24; nonzero mean and,  
   107; partial pooling and, 12–13;  
   population extrapolation and, 25–26;  
   principal component analysis (PCA) and,  
   28–34; priors and, 69–73, 92 (*see also*  
   priors); smoothing and, 83, 86–91,  
   98–100, 104–8, 131–33, 178–82, 187–89;  
   time trends and, 133  
 AIDS, 3n2, 4, 6, 24  
 Aitchison, J., 211  
 Alho, J. M., 39  
 Argentina, 190–95  
 Armstrong, J. Scott, 25  
 Arsenin, V. Y., 66n3  
 autoregressive models, 46–47; integrated  
   moving average (ARIMA) models, 36–37,  
   57; linear trends and, 178; priors and,  
   79n1  
  
 backcast, 47  
 basis, 224–25  
 Bayesian models, xv, 1, 12; all-cause  
   mortality and, 197–98; comparative  
   analyses and, 196–210; conditional  
   densities and, 147; dependent variables  
   and, 64–69; empirical inference and,  
   148–51; hierarchical approach and, 57–73,  
   148–51; ignorance representation and,  
   74–75; likelihood choice and, 112–23;  
   literature implications and, 15–16; logical  
   Bayesianism and, 74–75; neighboring  
   states and, 15–16; pooling and, 2; priors  
   and, 57–93 (*see also* priors); robust  
   analysis and, 75; specific probability  
   density and, 74–75; splines and, 105;  
   summary measure estimation and, 141–44  
 Beck, Nathaniel, 17  
 Bedrick, Edward J., 66  
 Belize, 178  
 Bell, W. R., 28, 31  
 Beltrami, E., 234  
 Berger, James, 75  
 Bergmann, K. E., 34  
 Besag, Julian, 59, 75, 128  
 bias, 12, 14, 102; covariate methods and,  
   38–39, 47–50, 53–54, 65, 108; intercept  
   correction and, 49; Lee-Carter approach  
   and, 38–39; maximum likelihood (ML)  
   and, 47–48; Poisson methods and, 119  
 Biggs, N. L., 128  
 Bishop, Christopher M., 148  
 Bishop, Y.M.M., 36  
 Blattberg, R. C., 57n1  
 Boe, C., 34  
 Booth, Heather, 34  
 bootstrapping, 98  
 borrowing strength, 12  
 Bozik, J. E., 28, 31  
 Brazil, 23  
 Breas, J., 28  
 breast cancer, 3n2, 23–24, 121, 187–89,  
   205–6  
 Bulgaria, 181  
 bumps, 89–90, 95  
 burn-in iterations, 164–65, 169  
  
 Cameron, A. C., 44  
 Canada, 26, 193, 195  
 Capocaccia, Riccardo, 51–52  
 cardiovascular disease, 3n2, 65, 119; age  
   and, 6; Europe and, 9; females and, 31–32;  
   males and, 6, 9, 12, 23–24, 47, 115–16,

## 260 • INDEX

- 120–21, 210; South Africa and, 12; United Kingdom and, 31–32; United States and, 47; variance specification and, 120–23
- Carlin, Bradley P., 149
- Carter, Lawrence R., 10, 28, 34, 36
- cause-specific methods, 51–53
- Chen, Ming-Hui, 66
- Chile, 190–95
- Christensen, Ronald, 66
- Clements, M. P., 49
- Clogg, Clifford C., 66
- clusters, 3n2
- Coale, Ansley, 127
- coefficients: comparative analyses and, 196–210; conditional densities and, 147; defining distances and, 145–47; hierarchical models and, 148–51; linear trends and, 181–82; Markov Chain Monte Carlo estimation and, 161–69; Maximum A Posteriori (MAP) estimator and, 170–73; nonlinear trends and, 182–87; priors and, 61–68, 92–93; projection operators and, 227–29; simultaneous smoothing and, 131–32; smoothing over countries and, 127–31; smoothing over time and, 124–27; virtual examples and, 147–48
- Collier, David, 17
- Colombia, 193
- comparability ratios, 153
- comparative analyses, 196; all-cause mortality in males and, 197–200; breast cancer and, 205–6; cardiovascular disease and, 210; least squares method and, 202–5; Lee-Carter method and, 196–206, 210; lung disease and, 200–204; Murray-Lopez model and, 197; OECD countries and, 206–10; transportation accidents and, 208–9
- comparativists, 2–3, 16–18
- complementary subspaces, 226
- conceptual stretching, 17
- conditional Maximum A Posteriori estimator, 172–73
- consequentialism, 75
- Cook Islands, 116
- Costa Rica, 193
- countries: all-causes mortality and, 197–200; breast cancer and, 205–6; cardiovascular disease and, 210; comparative analyses and, 196–210; GDP proxy and, 189–90; lung disease and, 200–204; OECD, 206–10; parameter choice and, 193–95; smoothing over, 127–31, 133–34, 189–95; standard deviation and, 194–95; time trends and, 133–34; transportation accidents and, 208–9. *See also specific country*
- covariates, 46; changes in meaning and, 153–57; choosing, 108–12; comparative analyses and, 196–210; distance definition and, 145–47; forecasting with, 187–89; forecasting without, 178–87; Gibbs sampling and, 164–69; indifference analysis and, 125–27; null space and, 109–12, 125–27; orthogonal, 110; smoothing over age, 187–89; smoothing over countries, 189–95; smoothing over time, 124–27, 187–89; variance over age groups and, 111–12
- Croatia, 187–89
- cross validation, 98
- Cuba, 193
- Dawid, A. P., 75
- De Angelis, Giovanni, 51–52
- de Boor, C., 66n3, 81–82
- Demeny, Paul, 127
- demography, 1; age profiles and, 22–24 (*see also* age profiles); dependent variables and, 64–69; estimator optimality and, 21–22; inference theories and, 21–22; Lee-Carter approach and, 34–42; methods without covariates, 21–42; nonparametric approaches and, 28–34; parametric approaches and, 13, 26–28; population extrapolation approaches and, 25–26; principal components and, 28–34; statistics and, 11–15; vector mapping and, 13–14
- dependent variables, 64, 72, 104–8; all-cause mortality and, 198; changes in meaning and, 153–57; comparability ratios and, 153; cross-sectional index and, 80–91; defining distances and, 145–47; discretizing and, 85–86; expected value of, 65–69; general interactions and, 134–36; grouped, 80–93; indifference analysis and, 128–30; linear trends and, 178–82; meaning changes and, 153–57; multiple smoothing parameters and, 136–44; nonlinear trends and, 182–87; nonzero mean and, 107, 152n2; notation

- for, 215–16; null space and, 83–85; piecewise polynomials and, 155–57; simultaneous smoothing and, 131–32; smoothing data without forecasting and, 151–53; smoothing over countries, 127–31; smoothing over time, 124–27; time trend interactions and, 132–34; virtual examples and, 147–48
- digestive disease, 3n2
- dimension, 224–25
- direct decomposition methods, 51–52
- direct sum, 226
- discretization: derivative operator and, 247–48; general interactions and, 134–36; piecewise polynomials and, 155–57; priors and, 85–86, 90–91; simultaneous smoothing and, 131–32; smoothing over countries and, 127–31; smoothing over time and, 124–27; time trend interactions and, 132–34
- distance, 145–47, 220
- disturbance correlations, 50–51
- domain, 223
- drift parameter, 37
- economic issues, 8–9, 17, 48
- Edwards, A.W.F., 75
- Efron, B., 98, 197
- eigenvalues, 242–43, 246; grouped variables and, 86; methods without covariates, 34, 36; null space and, 128–29; smoothing choice and, 106; symmetric matrices and, 232–35
- El Salvador, 121
- epidemics, 153
- equation-by-equation maximum likelihood (ML), 48, 53–54; computing forecasts and, 46–47; least squares and, 44–46; Poisson regression and, 43–44; priors and, 57–58
- equations: age profile, 98–100; comparative analyses, 198; conditional densities, 147; discretization of derivative operator, 247; distance definition, 146; eigenvalue/eigenvector decomposition, 233; generalized inverse, 237–38; Gompertz, 26; hierarchical models, 148–51; improper normal priors, 241–46; indifference analysis, 76–78; least squares method, 45–46, 147; Lee-Carter, 34–35, 37–38; likelihood function, 58; linear trends, 178–81; log-mortality rate matrix, 25; McNown-Rogers, 26; Markov Chain Monte Carlo estimation, 161–69; Maximum A Posteriori estimator, 170–72; mortality variance over age and time, 178–80; multiple smoothing parameters, 137; Murray-Lopez, 48; nonlinear trends, 183–87; nullity, 231; null space, 109–11; PIAMOD, 51–52; Poisson, 44, 113, 115; posterior density, 58, 64; principal components, 28–29, 33–34; priors, 58–59, 62, 64 (*see also* priors); probability density, 239–40; projection operators, 228; quadratic form identity, 238–39; range, 229, 231; rank, 230, 232; simultaneous smoothing, 131–32; singular values decomposition, 234–36; smoothing over age, 178–81, 188; smoothing over countries, 127–28, 130, 191; smoothing over time, 125, 181, 188; smoothing without forecasting, 151–52; smoothing with piecewise polynomials, 155; standard smoothness functional, 95; time trend interactions, 133–36; variance specification, 120, 123
- estimation: Markov Chain Monte Carlo, 161–69; Maximum A Posteriori (MAP), 170–73
- Eubank, R. L., 82
- Euclidean spaces, 219–20
- fat consumption, 4, 187, 210
- fertility rates, 1, 4, 13, 28
- Fienberg, S. E., 36
- forecasting, 177, 211–12; autoregressive models and, 46–47; comparative analyses and, 196–210; covariates and, 43–54, 187–89; defined, 9; deterministic, 139–41; economic issues and, 8–9; efficiency and, 13; in-sample period and, 10; intercept correction and, 49; Lee-Carter approach and, 34–42; linear trends and, 178–82; Markov Chain Monte Carlo estimation and, 160–69; Maximum A Posteriori (MAP) estimator and, 170–73; methods without covariates, 21–42, 178–87; multiple parameters and, 136–44; nonlinear trends and, 182–87; nonparametric approaches and, 28–34; out-of-sample period and, 10; parametric approaches and, 26–28; population extrapolation approaches and, 25–26; principal components and, 28–34;

## 262 • INDEX

- qualifications for, 9–10; time-of-death predictions and, 10; uncertainties and, 9–11; YourCast and, 9
- France, 23
- Friedman, J., 98
- Frobenius norm, 223, 235–36
- full rank, 229–32
  
- Gakidou, Emmanuela, 3n1
- Gamma priors, 58, 163, 165–67
- Gelfand, A. E., 164
- Gelman, Andrew, 14n4, 57n1, 162, 170
- Geman, Donald, 128, 164
- Geman, Stuart, 128, 164
- gender, 178; all-cause mortality and, 197–200; breast cancer and, 23–24, 187–89, 205–6; cardiovascular disease and, 6, 9, 12, 23–24, 31–32, 47, 115–16, 120–21, 210; leading causes of death by, 6–7; Lee-Carter approach and, 42; lung disease and, 200–202; population extrapolation and, 25–26; suicide and, 24, 40–42; tobacco and, 198, 200–202; transportation accidents and, 208–9; variance specification and, 120–23
- generalized cross validation, 98
- generalized inverse, 236–38
- George, E. I., 57n1
- Gibbs sampling, 131, 152; all-cause mortality and, 198; burn-in iterations and, 164–65, 169; Gamma priors and, 165–67; hyperparameters and, 164; linear trends and, 180; Markov Chain Monte Carlo estimation and, 164–69; Maximum A Posteriori (MAP) estimator and, 170–73; prior densities and, 164–69
- Gilks, W. R., 164
- Gill, Jeff, 57n1, 164
- Giroso, Federico, 3, 34, 36, 38, 148
- global oscillation, 89–90
- Golub, G. M., 98
- Gompertz, B., 13, 26
- Goodman, Leo, 61
- Goss, Stephen C., 26
- graph theory, 248–49
- Graunt, John, 22
- Greenland, Sander, 61, 66, 170
- gross domestic product (GDP) measurement, 13, 187, 198; Murray-Lopez model and, 48; null space and, 109, 111; priors and, 62, 65; smoothing over time and, 126–27
- Guillot, Michel, 22, 127
  
- Haberland, J., 34
- Hand, David, 197
- Harrison, Jeff, 66
- Hastie, Trevor, 98
- Heath, M., 98
- Henderson, R., 66n3
- Hendry, D. F., 49
- Heuveline, Patrick, 22, 127
- hierarchical models, 148–51
- Higdon, David M., 128
- Hill, Jennifer, 57n1
- HIV, 9
- Holland, 36
- homicide, 3n2
- Honduras, 120
- Hsu, J.S.J., 170
- Hungary, 39, 198
  
- Ibrahim, Joseph G., 66
- inference theories, 21–22
- inner product space, 221–23
- intercept correction, 49
- International Classification of Diseases (ICD), 153
- interpretation, 13, 59n2, 106, 147–48; covariates and, 53; grouped variables and, 77, 86, 92; Markov Chain Monte Carlo estimation and, 165, 167–68; null space and, 130; projection operators and, 228; smoothing and, 68–73, 181
- Inter-University Consortium for Political and Social Research, 17
- inverse Gamma priors, 58, 162–63
- islands, 128–29
- Italy, 29
- Iversen, Edwin W., 59
  
- Jacobians, 243
- jaggedness, 88, 178
- Japan, 31, 209
- Jee, Sun Ha, 26
- Jeffreys, H., 66
- Jensen's inequality, 114
- Johnson, Wesley, 66
- Jordan, C., 234
  
- Kadane, Joseph B., 64, 66
- Kass, Robert E., 75
- Katz, Jonathan, 17, 211
- Keohane, Robert O., 17
- Keyfitz, N., 13, 26
- Kimeldorf, G. S., 66n3, 79n1, 105

- King, Gary, 3, 10, 14n4, 17, 178;  
 compositional data and, 211; ecological inference problem and, 61; least-squares method and, 44–46; Lee–Carter approach and, 34, 36, 38; likelihood theory of inference and, 75; Poisson regression and, 44, 113
- Kooperberg, Charles, 59, 75
- Kuwait, 121
- LaPalombara, Joseph, 17
- Laplacians, 75, 250
- Laud, Purushottam W., 66
- least-squares method, 187; comparative analyses and, 202–3, 205; equation-by-equation maximum likelihood and, 44–46; Lee–Carter method and, 202–3, 205; smoothing over countries and, 190–91
- Lebesgue measure, 83n2, 131
- Ledermann, S., 28
- Lee, Ronald D., 10, 28, 34, 36
- Lee–Carter approach, 42, 57, 178; all-cause mortality and, 34, 197–200; ARIMA models and, 36–37; bias and, 38; breast cancer and, 205–6; comparative analyses and, 196–206, 210; description of, 34–36; drift parameter and, 37; estimation and, 36; forecasting and, 36–38; least-squares method and, 202–3, 205; lung disease and, 200–204; plot stratification and, 200; properties and, 38–41; random walks and, 36–38; re-estimation step and, 36; row independence and, 36; singular value decomposition and, 36
- Leonard, T., 170
- Li, S. Z., 34, 128
- life tables, 28, 127
- likelihood, 124n1; function choice and, 112–23; Gibbs sampling and, 164–69; Markov Chain Monte Carlo estimation and, 161–69; Maximum A Posteriori (MAP) estimator and, 170–73; normal specification derivation and, 112–14; null space and, 79–80; Poisson approximation accuracy and, 114–20; priors and, 74–93 (*see also* priors); smoothing and, 98 (*see also* smoothing); variance specification and, 120–23
- Lilienfeld, David E., 25
- Lin, Hsin Ying, 66
- linear algebra: definiteness, 234; eigenvalues, 232–33; Frobenius norm, 223, 235–36; generalized inverse, 236–38; null space, 229–32; quadratic form identity, 238–39; range, 229–32; rank, 229–32, 235; singular values decomposition (SVD), 234–36
- Liu, Chuanhai, 14n4
- liver cancer, 3n2
- local oscillation, 89–90
- logical Bayesianism, 74–75
- log-likelihood function, 44
- log-mortality rate, 6–7, 12, 106; age group patterns and, 22–24; changes in meaning and, 153–57; comparability ratios and, 153; GDP proxy and, 189–90; Jensen’s inequality and, 114; least-squares method and, 44–46; matrices and, 24–25; nonparametric approaches and, 28–32; parametric approaches and, 26–28; Poisson process and, 112–20; principal component analysis (PCA) and, 28–34; smoothness over coefficients and, 100–104; U-shaped pattern and, 189–90
- Louis, Thomas A., 149
- Lu, Ying, 3n1
- lung cancer, 3n2, 26, 31; deterministic forecasts and, 139; males and, 200–202; summary measure and, 143; tobacco and, 4, 61, 184–85, 200–202
- McNown, Robert, 26–28, 39
- Macridis, Roy C., 16
- macroepidemiology, 1
- Mahalanobis norm, 146
- Mahon, James E., Jr., 17
- Maindonald, John, 34
- malaria, 3n2, 6, 24
- Malta, 198
- mappings, 223
- marginal Maximum A Posteriori estimator, 171–72
- Markov Chain Monte Carlo estimation, 75, 123; burn-in iterations and, 164–65, 169; closed form solutions and, 162; coefficients and, 161–64; fast estimation without, 170–73; Gamma priors and, 163, 165–67; Gibbs sampling algorithm and, 164–69; hyperparameters and, 162, 164; inverse Gamma priors and, 162–63; Maximum A Posteriori (MAP) estimator and, 173; model summary, 161–64; prior densities and, 162–69

## 264 • INDEX

- Markov Random Fields, 59, 128
- maternal conditions, 3n2
- matrices: adjacency, 59, 193, 249; definiteness and, 234; discretization of derivative operator and, 247–48; eigenvalues and, 232–33; Frobenius norm, 223, 235–36; generalized inverse, 236–38; graph theory and, 249–50; identity, 216; improper normal priors and, 241–46; indifference analysis and, 128–30; islands and, 128–29; neighbors and, 60; notation for, 215–16; null space and, 79–80; oriented incidence, 249; parameter reduction and, 95; positive semidefinite, 234; projection operators and, 227–29; singular values decomposition (SVD) and, 234–36; smoothness and, 86–91; subspace and, 225
- Maximum A Posteriori (MAP) estimator, 170–73
- maximum likelihood (ML): bias and, 48; equation-by-equation, 43–48, 53–54, 57–58; Gibbs sampling and, 164–69; least squares and, 44–46; noise and, 47; Poisson regression and, 43–44
- metric space, 219–20
- Mexico, 26
- microsimulation methods, 52–53
- Migon, Helio S., 66
- military conflict, 3n2, 9
- Miller, Timothy, 36
- model selection: covariate choice and, 108–12; likelihood and, 112–23; log-normal approximation to Poisson, 114–20; normal specification and, 112–14; smoothness and, 94–108; variance function and, 112–23
- Monsell, B. C., 28, 31
- Moodaley, L. C., 66
- Morozov, V. A., 66n3
- mortality, 211–12; age group patterns and, 5–8, 22–24; all-cause, 4–5, 22–26, 29, 34, 39, 42, 73, 87, 90, 115, 197–200; clusters and, 3n2; comparative analyses and, 196–210; exogenous shocks and, 21; forecasting, 3–11 (*see also* forecasting); Lee-Carter approach and, 34–41; linear trends and, 178–82; log-mortality rate and, 114–20 (*see also* log-mortality rate); methods with covariates, 43–54; methods without covariates, 21–42; nonlinear trends and, 182–87; Poisson process and, 114–20; population extrapolation and, 24–25; registration data and, 3; variance specification and, 120–23; World Health Organization (WHO) and, 1–4
- Murray, Christopher J. L., 153
- Murray-Lopez model, 48–49, 53–54, 197
- natural disasters, 9
- neighbors, 60; graph theory and, 249–50; hierarchical models and, 151; null space and, 128–29; smoothing over countries and, 127–28
- New Zealand, 39
- Nicaragua, 120
- Niyogi, P., 148
- nonparametric approaches: Lee-Carter model and, 28, 34–42; principal component analysis (PCA) and, 28–34; regression analysis and, 75
- normalization factors, 62–63
- normed space, 221
- nullity, 231–32
- null space, 76, 95; bumps and, 95; content of, 110–12; covariate choice and, 109–12; dimension and, 110; indifference analysis and, 125–30; linear trends and, 180; priors and, 76, 79–80, 83–91, 108–12; rank and, 229–32; size of, 109–10; smoothness and, 95–97, 100, 106
- O’Hagan, A., 66
- Oman, Samuel D., 66
- operators, 223; derivative, 247–48; discretization and, 247–48; projection, 77, 227–29
- optimality, 173, 284: comparative analysis and, 196–210; covariates and, 31, 33, 186–89; cross validation and, 98; parametric approaches and, 27, 200–202; pooling and, 48–49
- Organization for Economic Co-operation and Development (OECD), 4, 206–10
- orthant, 150
- orthogonal complement, 226
- orthonormality, 225
- oscillation, 89–90
- Palau, 116
- partial pooling, 12–13, 50–51
- perinatal conditions, 3n2
- Perl, Daniel P., 25
- Peru, 184

- philosophy, 74–75
- PIAMOD (prevalence, incidence, analysis model), 51–53
- piecewise polynomials, 155–57
- Plackett, R. L., 45, 116
- Poggio, T., 148
- Poisson process: large lambda case and, 115–16; likelihood choice and, 112–14; log-normal accuracy and, 114–20; normal specification derivation and, 112–14; randomness and, 119; regression and, 43–44; small lambda case and, 116–19; very small lambda case and, 119–20
- political science, 1, 3, 16–18
- Pólya process, 113
- pooling, 2, 14; cross-sectional, 48–51; disturbance correlations and, 50–51; Murray-Lopez model and, 48–49; partial, 12–13, 50–51; post-estimation intercept correction and, 49; time series and, 48–50
- population extrapolation approaches, 24–25
- Portugal, 40
- positive semidefinite matrix, 234
- posterior distribution, 164, 170–73
- predictive interference, 66
- Press, William H., 247
- Preston, Samuel H., 22, 34, 127
- principal component analysis (PCA): appearance of, 28; centered profiles and, 33; estimation and, 32–34; fertility rates and, 28; Lee-Carter model and, 28, 34–42; parsimonious data representation and, 28–32; singular value decomposition and, 28, 31–34
- principal components, 28–34
- priors, 177; bootstrapping and, 98; changes in meaning and, 153–57; choice of, 97–104; coefficients and, 59–68, 92–93; comparisons and, 145–48; country trends and, 133–34; covariate choice and, 65, 108–12; default solution and, 75; defining distances and, 145–47; densities and, 58, 66–67, 74–75, 147, 162–69; dependent variables and, 64–69, 72, 80–93, 153–57 (*see also* dependent variables); discretization and, 85–86, 90–91; empirical inference and, 148–51; equivalence class and, 79; extensions and, 148–57; Gamma, 58, 162–63, 165–67; general interactions and, 134–36; generalized cross validation and, 98; graph theory and, 248–49; hand built, 91; ignorance representation and, 74–75; improper, 59–60, 240–45; indifference analysis and, 74–80, 83–85, 125–30; linear trends and, 178–82; literature on, 74–75; Markov Chain Monte Carlo estimation and, 161–69; Markov Random Field, 59; Maximum A Posteriori (MAP) estimator and, 170–73; multiple smoothing parameters and, 136–44; neighbors and, 60; nonlinear trends and, 182–87; nonparametric, 98–100; nonzero mean and, 107, 152n2; normalization factors and, 62–63; null space and, 76, 79–80, 83–91, 108–12; parametric, 97–98; piecewise polynomials and, 155–57; problems with, 59–65; projectors and, 77; random walks and, 72–73; reference, 75; shrinkage, 149–51; smoothing and, 69–73, 75, 81–91, 97–104; standard deviation and, 100–102, 137–41, 169, 181, 194–95; summary measure estimation and, 102, 141–44; translation and, 62–63, 67–68; virtual examples and, 147–48
- probability densities, 216; Gamma distribution, 238–39; improper normal priors and, 240–45; log-normal distribution, 239; normal distribution, 238; priors and, 74–75
- projection operators, 77, 226–25
- public health, 1; clusters and, 3n2; comparativists and, 2–3, 16–18; cross-national research and, 16–18; forecasting and, 10 (*see also* forecasting)
- quadratic form identity, 231–38
- randomness, 38, 245; ARIMA models and, 36–37; Poisson process and, 119; priors and, 72–73
- range, 223, 228–31
- rank, 228–31, 234
- Raymer, James, 26
- real analysis: basis, 223–24; dimension, 223–24; direct sum, 225; functions, 222–23; mapping, 222; metric space, 219; normed space, 220; operators, 222, 226–28; orthogonal complement, 225; orthonormality, 224; projection, 226–28; scalar product space, 220–22; span, 223; subspace, 224; vector space, 218–19
- registration data, 3
- regularization theory, 1, 66n3
- Richardson, S., 164, 246

## 266 • INDEX

- Rofman, R., 34  
 Rogers, Andrei, 27–28  
 R Project for Statistical Computing (R Development Core Team), xv–xvi
- Salomon, Joshua A., 53  
 Sartori, Giovanni, 17  
 scalar products, 218–22  
 Schoenberg, I. J., 66n3, 81  
 Schumaker, L. L., 82  
 seemingly unrelated regression models (SURM), 50–51  
 semidefinite symmetric matrix, 59  
 semidistance, 219  
 semi norm, 222  
 sets, 216  
 severe acute respiratory syndrome (SARS), 9  
 shrinkage priors, 149–51  
 Signorino, Curtis S., 44, 113  
 singular value decomposition (SVD):  
   eigenvalues and, 233–35; generalized inverse, 237; Lee-Carter approach and, 36; principal component analysis (PCA) and, 28, 31–34  
 Sivamurthy, M., 28  
 Smith, A.F.M., 164  
 Smith, Len, 34  
 smoking. *See* tobacco  
 smoothing, 12, 27, 66n3, 177, 211–12; age profiles and, 83, 86–91, 98–100, 104–8, 131–33, 178–82, 187–89; average variance and, 98–100; bootstrapping and, 98; bumps and, 89–90; changes in meaning and, 153–57; choosing where to smooth, 104–8; discretization and, 85–86, 90–91; functional choice and, 94–97; with general interactions, 134–36; generalized cross validation and, 98; global shape and, 95; graph theory and, 249–50; jaggedness and, 88, 178; linear trends and, 178–82; local behavior and, 94–95; multiple parameters and, 136–44; nonlinear trends and, 182–87; nonparametric prior and, 98–100; null space and, 95–97, 100, 106; optimality and, 98; oscillation and, 89–90; over coefficients, 100–104; over countries, 127–34, 189–95; over time, 124–27, 131–32, 181–82, 187–89; priors and, 69–73, 75, 81–91, 97–104; as random variable, 98; simultaneous, 131–32; standard functional, 95; structural risk minimization and, 98; summary measure estimation and, 141–44; time trend interactions and, 132–34; uncertainty level and, 100; univariate, 98–100; varying degree of, 83; without forecasting and, 151–53  
 sociology, 2, 16–18  
 South Korea, 26  
 Spanish influenza, 9  
 spans, 224  
 Speckman, P., 75, 79n1  
 Spiegelhalter, D. J., 164  
 splines, 27n1, 66n3, 81, 105  
 Sri Lanka, 106  
 SSE, 165–66, 171–72  
 stabilizers, 66n3  
 statistics, 1, 211–12; bias and, 12 (*see also* bias); covariate choice and, 108–12; demographers and, 11–12, 21–22; dependent variables and, 64–69; estimator optimality and, 21–22; inference theories and, 21–22; Lee-Carter approach and, 34–42; likelihood and, 112–23 (*see also* likelihood); log-normal approximation to Poisson, 114–20; methods with covariates, 43–54; methods without covariates, 21–42; model selection and, 94–123; nonparametric approaches and, 28–34; normal specification and, 112–14; parametric approaches and, 26–28; pooling and, 12–14; population extrapolation approaches and, 25–26; principal components and, 28–34; prior specification and, 57–73; qualitative overview, 11–15; smoothing and, 12, 94–108 (*see also* smoothing); specific probability density and, 74–75; time series and, 11–12; unified framework for, 24–25; variance and, 12, 14, 112–23; vector mapping and, 13–14  
 Stewart, G. W., 233  
 Stimson, James A., 17  
 stomach cancer, 3n2, 31  
 Strang, G., 234  
 structural risk minimization, 98  
 subspaces, 224–25; generalized inverse, 235–37; null space and, 228–31; range and, 228–31  
 suicide, 3n2, 24, 40–42  
 Sun, D., 75, 79n1
- Tabeau, Ewa, 26, 57  
 Tanner, Martin A., 161, 164



- Taylor, G., 66n3  
 terrorism, 9  
 Tibshirani, R., 98  
 Tikhonov, A. N., 66n3  
 time, 4, 11–12, 80; country smoothing and, 190–95; cross-sectional pooling and, 48–50; equation-by-equation maximum likelihood (ML) and, 43–48; Gibbs sampling and, 164–69; Lebesgue measure and, 131; Lee-Carter approach and, 34–42; linear trends and, 181–82; monotonic decrease and, 124n1; Murray-Lopez model and, 48–49; nonlinear trends and, 182–87; parametric approaches and, 26–28; postestimation intercept correction and, 49; principal component analysis (PCA) and, 28–34; smoothing and, 124–27, 131–32, 181–82, 187–89; trend interactions and, 132–34  
 tobacco, 13, 43, 208; breast cancer and, 205; gender and, 198, 200–202; increased access to, 183; lung disease and, 4, 61, 184–85, 200–202; null space and, 126; smoking rates and, 47; smoothing over time and, 187  
 Tobago, 184  
 translation, 62–63, 67–68  
 transportation accidents, 3n2, 6, 40–41, 189–90, 208–9  
 traveling problem, 17  
 triangle inequality, 219  
 Trinidad, 184  
 Trivedi, P. K., 44  
 Tsutakawa, Robert K., 66  
 tuberculosis, 3n2, 6, 24  
 Tucker, Richard, 17  
 Tuljapurkar, S., 28, 34  
 Ukraine, 184  
 United Kingdom, 26, 31–32, 42  
 United States, 17–18, 39, 193, 195;  
   cardiovascular disease and, 23, 116, 121;  
   cross-sectional pooling and, 48;  
   Lee-Carter method and, 34, 197; male mortality and, 178; Poisson method and, 116; population extrapolation and, 26; suicide and, 40  
 U.S. Census Bureau, 26, 34  
 U.S. Social Security Administration, 5  
 U.S. Social Security Technical Advisory Panels, 34  
 utilitarianism, 75  
 Vapnik, Vladimir N., 98  
 variance function: choice of, 112–23; normal specification derivation and, 112–14; Poisson approximation accuracy and, 114–20  
 vectors: basis and, 223–24; conditional densities and, 147; dimension and, 223–24; discretization of derivative operator and, 246–47; eigenvectors and, 231–32; equivalence class and, 79; functional, 223; higher-dimensional metric space and, 146; Mahalanobis norm and, 146; normed space, 221; null space and, 228–31; orthogonal parts and, 77; orthonormal, 225; projection operators and, 226–28; range and, 228–31; scalar products and, 218–22; span and, 223; subspace and, 224–25; summer, 214; virtual examples and, 147–48; zero, 218  
 vector space, 218–19  
 Verba, Sidney, 17  
 Verdecchia, Arduino, 51–52  
 Verrall, R. J., 66n3  
 virtual examples, 147–48  
 Wahba, Grace, 66n3, 75, 79n1, 81–82, 98, 105  
 Wang, Yan, 66  
 war, 3n2, 9  
 Wasserman, Larry, 75  
 wavelets, 66  
 Weinstein, Milton C., 53  
 Weiss, Robert E., 66  
 West, Mike, 66  
 Western, Bruce, 17, 57n1  
 Whittaker, E. T., 66n3  
 Wilmoth, John R., 34, 36  
 Woodward, E. G., 66  
 World Health Organization (WHO), 1–4  
 YourCast, xv–xvi, 9  
 Zellner, A., 50  
 Zeng, Langche, 10, 61, 75  
 Zorn, Christopher, 17